



11 Publication number:

0 488 242 A1

12

EUROPEAN PATENT APPLICATION

(1) Application number: 91120310.7

(1) Int. Cl.5: A61K 7/09

② Date of filing: 27.11.91

Priority: 28.11.90 JP 328288/90

(3) Date of publication of application: 03.06.92 Bulletin 92/23

Designated Contracting States:

DE FR GB IT

Applicant: KAO CORPORATION
 1-14-10, Nihonbashikayaba-cho
Chuo-ku Tokyo(JP)

Inventor: Tabata, Yoshiko 1-3-33-B702, Makuharihongo Chiba-shi, Chiba(JP) inventor: Kure, Naohisa 3-16-1-307, Higahisuna, Koto-ku Tokyo(JP)

Representative: Wächtershäuser, Günter, Dr. Tal 29 W-8000 München 2(DE)

(S) Hair treatment composition comprising cysteine or a salt thereof.

(a) A hair treatment composition which comprises (A) 3 to 10% by weight, calculated as cysteine, of cysteine or its salt, (B) a saccharide or a polyhydric alcohol which has 4 to 20 carbon atoms, has 3 or more hydroxyl groups in the molecule, and which has no aldehyde group or ketone group, with the proportion by weight, (B)/(A) being less than 3.

EP 0 488 242 A1

On the fifth day, the guinea pigs were evaluated.

Averages of the evaluations of the five guinea pigs which constituted the test group are shown in Table 2.

Evaluation standard:	
Same degree of redness as comparative product was observed Less degree of redness than that observed with comparative product Slight degree of redness was observed	C B

Table 2

(% by weight)

in .	Inventio	Comparative Product				
Components	4	6	5			
L-cysteine	6.0	6.0	6.0			
Ammonium thioglycolate	1.0	1.0	1.0			
EDTA • 4Na	0.5	0.5	0.5			
Monoethanolamine	<> Suitable amount*1>					
Sorbitol	5.0	10.0	-			
Water	<> Balance>					
Mildness to the skin	В	A	С			

*1): Amount required to adjust pH to 9.0

Example 3:

10

15

20

35

Using the compositions shown in Table 3, the presence or absence of flaking was determined. 50 microliters of each of the compositions were dropped on a transparent glass plate and allowed to dry. The conspicuousness of crystals was observed by the naked eye on a backscreen of black color. The results are shown in Table 3.

Evaluation:

Conspicuousness of crystals:

Slight: A
Moderate: B
Very conspicuous: C

55

EP 0 488 242 A1

Table 3

(% by weight)

					(* by weight)	
	Invention products				Comparative Product	
Components	1	2	3	4	5	
L-cysteine	6.0	6.0	6.0	6.0	6.0	
Ammonium thioglycolate	1.0	1.0	1.0	1.0	1.0	
EDTA•4Na	0.5	0.5	0.5	0.5	0.5	
Monoethanolamine	<> Suitable amount*1>					
Inositol	5.0	-	-	_	· <u>-</u>	
Saccharose	-	5.0	– .	_	-	
Sodium gluconate	ı	-	5.0	-	-	
Sorbitol	1	-	-	5.0	-	
Water	<> Balance>					
Conspicuousness of crystals	В	A	A	В	C	

¹): Amount required to adjust pH to 9.0

Having now fully described the invention, it will be apparent to one of ordinary skill in the art that many changes and modifications can be made thereto without departing from the spirit or scope of the invention as set forth herein.

Claims

5

40

20

25

- 1. A hair treatment composition, which comprises:
 - (A) 3 to 10% by weight, calculated as cysteine, of cysteine or a salt thereof, and
 - (B) a saccharide or a polyhydric alcohol which has 4 to 20 carbon atoms, has 3 or more hydroxyl groups in the molecule, and which has no aldehyde group or ketone group, the proportion by weight, (B)/(A) being less than 3.
- The hair treatment composition according to Claim 1, wherein said component (B) is selected from the group consisting of aldonic acids, saccharic acids, sugar alcohols, condensed saccharides and cyclic polyhydric alcohols.
- The hair treatment composition according to Claim 1, wherein said component (B) is selected from the group consisting of sorbitol, mannitol, maltitol, xylitol, saccharose, gluconic acid or its salts and inositol.
- 4. The hair treatment composition according to Claim 1, wherein the amount of said component (B) is 0.5 to 20% by weight based upon the total composition.
 - The hair treatment according to Claim 1, wherein said hair treatment composition is a permanent wave agent or a set lotion.
- The hair treatment composition according to Claim 5, which optionally comprises a chelating agent and a base.

ΕP 91 12 0310

	DOCUMENTS CONS		- 1 VI 4 I		····
Category	Citation of document with of relevant p	indication, where appropriate,		Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Q.5)
X	US-A-4 947 878 (CREWS * abstract * column 4, line 26 -			1 -6	A61K7/Q9
	* column 5, line 45 -		.		
^	DE-A-3 022 049 (GUREIS *,page 10 *	u Kagaku K, K.)		1-6	
^	EP-A-0 302 265 (MELLA. * page 3, line 10 ~ lin* page 4, line 2 - line	ne 20 *	` 1	l –6	
A D	EP-A-0 320 612 (WELLA / * page 2, 11ne 36 - 11i & JP-A-2 502 539	•	1	-6	
^	FR-A-2 348 695 (KYOMA i	IAKKO KOGYO K.K.)] 1	-6	
•	& JP-A-52 128 241	•			
ı					TECHNICAL FIELDS SEARCHED (Int. Cl.5)
					A61K
	The present starch report has be	es droop up for all alaims			
	Place of sourch	Date of completion of the on			Position
6	BERLIN	06 MARCH 1992	w12	AVEDI	KIAN P.F.

earlier patent document, but puber after the filing date document cited in the application document cited for other reasons